

Features:

- *Image Sensor: 1/3" Sony Super HAD II CCD*
- *Wide Dynamic Range*
- *3D Digital Noise Reduction*
- *Mini.. Illumination: Color 0.03lux,
Mono 0.001 lux*
- *Sense-up Star Light Technology 128x*
- *48 areas motion detection with multi area settings*
- *48 areas black light compensation*
- *OSD menu control, privacy mask mode*
- *Mechanical IR Cut Filter*
- *Dual Voltage 12VDC/24VAC*


BC7109AVA

Specifications:

<i>Image Sensor</i>	<i>1/3" Sony Super HAD II CCD</i>
<i>Effective Pixel</i>	<i>768Hx494V</i>
<i>Resolution</i>	<i>Color 600 TVL</i>
<i>Mini. Illumination</i>	<i>Color: 0.03lux, Mono 0.001 lux</i>
<i>Shutter Speed</i>	<i>1/60 ~ 1/100,000</i>
<i>Scanning System</i>	<i>2:1 Interlaced Scanning</i>
<i>Sense Up</i>	<i>Max 128x</i>
<i>S/N Ratio</i>	<i>More than 48 dB</i>
<i>Digital Wide Dynamic</i>	<i>WDR Adjustable</i>
<i>Privacy Zone</i>	<i>4 areas</i>
<i>AGC</i>	<i>On/Off</i>
<i>BLC</i>	<i>48 zones</i>
<i>Motion Dections</i>	<i>48 zones</i>
<i>Digital Zone</i>	<i>128x</i>
<i>DNR</i>	<i>2D/3D Optional</i>
<i>Sync</i>	<i>Internal</i>
<i>AWB</i>	<i>Manual/Auto/Auto Tracking</i>
<i>Reverse Function</i>	<i>Horizontal/Vertical</i>
<i>Power Supply</i>	<i>12VDC/24VAC 2.5W</i>
<i>Operating Temperature</i>	<i>-14°F - 131°F</i>
<i>Storage Temperature</i>	<i>-40°F - 150 °F</i>

Actual Product(s) may vary from photo. All specifications may change without notice.