

Features

- 1/3" DPS (Digital Pixel System)
- High resolution of 540 TV lines, 0.08 Lux
- Wide Dynamic Range function
- Vari Focal 4-9.0mm
- On-Screen Menu Control (OSD)
- Day/Night function



BOLIDE

TECHNOLOGY GROUP

Specification

Camera

Image Sensor	DIGITAL PIXEL SYSTEM	S/N Ratio	More Than 48 db
S/N Ratio	MORE THAN 50dB (AGC OFF)	Lens	4.0 ~ 9.0mm
Syn Mode	INT./L.L.	Lens Mount	CS/C With Ring
Video Output	1.0V-P-P, 75 OHMS	White Balance	AWB/ATW/MANUAL SELECTABLE
Horizontal Resolution	540TVL	Signal system	PAL / NTSC
Shutter Speed	PAL:1/50~1/100000; NTSC:1/60 1/100000S	Gamma	0.45
Minimum Illumination	0.08LUX	Auto Iris	DC Drive
Dynamic Range	120dB MAXIMUM	AWB	AUTO 2000K ~ 11,000K
Operation Temperature	146F ~ 113°F, RH95%	POWER CONSUMPTION	<4W (MAX)
POWER SUPPLY	12VDC	Control Method	OSD Function Control