



# **Transforming Your Life**







Smart Home





2-Km RF Range



#### **Smart Home Services**

Climax's HMGW Series provides comprehensive smart home services, including remote control, home security, live visual monitoring, home automation, energy management and emergency monitoring.

#### **Easy Management**

- 160 zones (2 areas)
- Mobile control

### F1 Technology, ZigBee, Z-Wave and Wi-Fi

- F1 technology supports unprecedented radio frequency (RF) communication range of 2 kilometers
- · Supports ZigBee and/or Z-Wave devices
- · Optional Wi-Fi capabilities

# World-Leading 2-Km RF Range

The HMGW adopts Climax's groundbreaking Security@2km Wireless Technology that delivers RF communication range of 2 kilometers (1.5 miles), fast signal transmission, and relentless reliability.











The VST-1818 IP camera, the VST-873 PIR video camera and the VST-852 PIR camera deliver live video and alarm videos/images for visual verification.

# **Live Visual Monitoring**

The HMGW can integrate up to 6 IP cameras and 6 PIR cameras/PIR video cameras to deliver live visual monitoring and visual verification. When an emergency occurs, real-time alerts are sent to the user and monitoring personnel prompting them to verify the event by viewing the captured alarm images or video on a mobile device or PC.

### **Alarm Reporting**


The IP-based HMGW reports alarm events in CID/SIA formats and sends videos and images via email/FTP over IP.

#### **Built-in Siren**

The HMGW features a built-in siren to blare out immediate warning when emergencies occur. It can also incorporate additional indoor and outdoor sirens to establish a powerful early warning system.

#### Three "Home Armed" Modes

When the user is at home, the HMGW's three "home armed" modes provide flexible levels of protection to both safeguard the house and allow the user to move around without triggering an alarm.





#### **Home Automation**

The HMGW incorporates ZigBee and/or Z-Wave accessories to automate your home and enhance your life quality. You can easily tailor the HMGW's services to meet your family's needs anytime via the Vesta Home App on a smartphone or tablet.

# The HMGW automates lights and appliances according to:









Temperature settings

Custom scenes and schedules

Security status

Group/zone settings









PRS2-ZBS Power Relay Switch



PSD-29ZBS Dimmer Switch



PRM2-ZBS Power Meter plus Relay Switch

# **Energy Management**

The HMGW can integrate whole-house energy meters to report how much electricity the entire household uses and ZigBee/Z-Wave power meter switches to monitor the power consumption of individual home appliances. With this power-saving system you can develop a useful strategy to reduce energy bills.

# 24-Hour Emergency Monitoring

Smoke detectors, water sensors, carbon monoxide detectors and heat detectors can be installed in the HMGW network to protect your family and property from damage caused by fire, water or air toxics. The HMGW's 24-hour attribute can set these devices in 24-hour mode, enabling the devices to trigger alarms whatever the system status.



SD-8ZBS-EL Smoke Detector



HD-9ZBS Heat Detector



CD-8ZBS Carbon Monoxide Detector



WS-15ZBS Water Sensor

### **Remote and Mobile Control**

#### **Home Portal Server**

Home Portal Server, Climax's high-capacity IP/GPRS platform, enables the CMS to remotely manage the HMGW and serve customers.







### **Vesta Home App**

The end user can download the Vesta Home App from the App Store or the Google Play Store to manage the HMGW, receive event reports and view alarm videos/images on a smartphone or tablet.







# HMGW Features and Specifications

	HMGW-1ZBS	HMGW-1ZW	HMGW-3	HMGW-15
_	Zone Information			
Zones	160	160	160	160
Areas	2	2	2	2
	Alarm Reporting			
Communications path	IP	IP	IP	IP
Standard CID/SIA reporting	Over IP	Over IP	Over IP	Over IP
Video/image reporting	Email/FTP over IP	Email/FTP over IP	Email/FTP over IP	Email/FTP over IP
3 3 4 4 7 3	Compatible Devices/Servi			
ZigBee devices	•		•	•
Z-Wave devices	Via an optional Z-Wave	•	Via an optional Z-Wave	•
Olivery E4 Osvice of DE	module		module	
Climax F1 Series of RF devices			•	
IP cameras, PIR cameras and PIR video cameras	•	IP cameras only	•	•
Optional Wi-Fi module	•	•	•	•
External sirens	•	•	•	•
Home Portal Server	•	•	•	•
Vesta Home App	•	•	•	•
, social i ionio i ipp	System Capabilities			
Home automation	•		•	•
Energy management	•	•	•	•
Visual verification	•	Via IP cameras only	•	•
Built-in siren	•	•	•	•
3 "home armed" modes	•	•	•	•
App programming on	•	•	•	•
tablets and web				
programming Event log	500	500	500	500
Remote firmware update	500	•	500	500
Remote iiiiiware upuate	Charifications		•	·
Communications	Specifications	Z-Wave	ZiaBao Dra HA 1 2	ZiaBoo Dro HA 1 2 9
protocol(s)	ZigBee Pro HA 1.2	z-vvave	ZigBee Pro HA 1.2	ZigBee Pro HA 1.2 & Z-Wave
ZigBee frequency	2.4 GHz		2.4 GHz	2.4 GHz
Z-Wave frequency		Europe: 869.85MHz America: 916MHz		Europe: 869.85MHz America: 916MHz
RF frequency			433MHz/868.6375MHz/ 868.35MHz	
Power supply	AC-DC 9V/1A power adapter			
Backup battery	4.8V NiMH rechargeable battery x 1			
Battery backup time*	9 hours			
Operating temperature	-10°C to +45°C			
Operating humidity	Up to 85% non-condensing			
Dimensions	153mm x 132mm x 30mm			
Compliance listings	CE (R&TTE Directive)/EN 300220-1&2/EN 300328/EN 301489-1&3&17/EN 60950-1/EN 62311			



# **Ordering Information**

HMGW-1ZBS IP gateway with a built-in ZigBee module
HMGW-1ZW IP gateway with a built-in Z-Wave module

**HMGW-3** IP gateway with built-in RF and ZigBee modules

HMGW-15 IP gateway with built-in ZigBee and Z-Wave modules

\*All models are compatible with a Wi-Fi module.

