

## DH-PVR210

### HD Portable Video Recorder



### Features

- Individual portable audio & video recorder designed for particular fields or departments, such as police, military, urban management, forensic, customs, industry and commerce, insurance, energy resources and etc
- H.264 video and AAC audio compression
- Up to 14fps@1024\*768 and 25fps@960\*720 resolution recording
- Tamper-proof watermark technology meets legal evidence requirements
- ASF video file system; Support play on the universal player
- Support ATW, auto focus
- Cable control supports 360° pan flip and is convenient to wear
- Support "cable-control all in one" to start or stop record
- Cable-control cable passes stretching resistance test and is quite firm
- HD LCD; Support single channel full screen playback
- Support hot-swap SD card storage
- High-capacity rechargeable polymer battery adopted; Support energy-saving working mode
- Optional wireless access(Wi-Fi, WCDMA, EVDO)

# DH-PVR210

## Technical Specifications

Model	DH-PVR210	DH-PVR210-WF	DH-PVR210-WA	DH-PVR210-EV
Video				
Compression	H.264			
Record Resolution	14fps@1024*768, 25fps@960*720\704*576			
Snapshot	Support; Max. resolution:2048*1536			
Audio				
Compression	AAC			
File Format	Mp3			
Battery				
Capacity	2600mA/H			
Battery working period (Main unit only)	≥2 h			
Battery Capacity Threshold Alarm	When battery left power capacity is less than 10 minutes, the buzzer begins beeping regularly to alert you to recharge.			
LCD Power Management	System can automatically shut down LCD power after the PVR stopped operation for specified time such as ten seconds (adjustable)			
Installation	Build-in, replaceable			
Host Interface				
1394b Interface	Connect the main unit to the cable control module.			
Mini USB Interface	USB2.0 high-speed interface			
Charge Interface	For charge			
SD Card	1 SD card interface			
Button	9 buttons (1 power button and 8 specified buttons)			
Wireless Access	/	Wi-Fi	WCDMA	EVDO
Storage				
SD Card	Support SD1.0; SD1.1; SD2.0 standard			
SD Card Alarm	When the card is about to full (about five-minutes recording time left), you can hear buzzer beeps to alert you to replace a SD card			
LCD				
Dimension	2.46 inch			
Resolution	640*480			
Indicator				
Cable-Control Light	Record status: cable control light is normally on			
	Standby or stop status: Wire-control light flashes once every 4 seconds			
	Shut down mode: Cable control lights all become off			
Lens				
Focal Length	2.6mm			
Wide-angle	71°			
Aperture	F2.8			
IR	IR lens (optional)			

## DH-PVR210

Auto Focus / AWB	AUTO
<b>Dimension</b>	
W×D×H	74.4× 104.6× 33.7(mm)

---

**Dahua Technology Co., Ltd.**

1187 BinAn Road, Binjiang District, Hangzhou, China

Tel: +86-571-87688883

Fax: +86-571-87688815

Email: [overseas@dahuatech.com](mailto:overseas@dahuatech.com)

[www.dahuatech.com](http://www.dahuatech.com)

\*Design and specifications are subject to change without notice.

© 2012 Dahua Technology Co., Ltd.