DSC WIRELESS

Making Waves

DSC®

THE MOST COMPACT WIRELESS KEY AVAILABLE ANYWHERE

WS4939

4-BUTTON WIRELESS KEY

Equip your customers with the convenience that comes with portable personal protection.

- 8 designer cases (optional)
- Long-life lithium batteries included
- 4 programmable function keys
- Durable, scratch-resistant buttons
- Full 3-second delay on panic alarm to reduce false alarms
- Multifunction belt clip included
- Optional generic rubber insert included
- Water resistant

BROAD COLOR ASSORTMENT AVAILABLE ONLY FROM DSC

ANOTHER UNIQUE DSC PRODUCT
12-CHANNEL, 5-BUTTON WIRELESS KEY

WS4959

1-BUTTON PERSONAL PANIC

WS4938

2-BUTTON WIRELESS KEY

WS4949

UNMATCHED VERSATILITY

Ideal for large residential or small commercial applications, the WS4959 can support 12 programmable security and home automation functions.

- 12 programmable functions
- Integrated tri-color LED to indicate signal transmission and security modes
- 4 durable, scratch-resistant buttons and center toggle button
- Reliable 433 MHz technology
- Full 3-second delay on panic function
- Long-life lithium batteries included
- Water resistant
- Multifunction belt clip included

Provides a portable means to call for help from anywhere inside the home.

- Activation via 1 large, easy-to-use button
- Full 2-second delay on panic button
- Integrated LED to indicate signal transmission
- Neck strap included
- Reliable 433 MHz technology
- Multifunction belt clip included
- Water resistant
- Long-life lithium batteries included
- Supervised

Performs either arming or disarming functions; when the two buttons are pressed simultaneously the panic function is activated.

- 2-button, 3-channel wireless key
- Activation via 2 large, scratch-resistant buttons
- Full 3-second delay on panic function
- Integrated LED to indicate signal transmission
- Reliable 433 MHz technology
- Water resistant
- Long-life lithium batteries included

DSC WIRELESS. MAKING WAVES.

DSC is making waves again with our 21st century generation of wireless solutions that help keep families and business people safer than ever before. This innovative new line-up focuses on the future; with technologically advanced wireless keys, smoke detectors and alarm status modules available only from the legendary thinkers at DSC. The integrated DSC approach has resulted in an unparalleled spectrum of unique interchangeable component alternatives. They can be configured according to the security needs of every imaginable circumstance, providing double-safe protection with outstanding features:

▶ **New technology for greater signal range and accuracy**
▶ **Long-life lithium batteries**
▶ **Attractive, compact designs**
▶ **Easy to install, program and use**
▶ **Revolutionary reliability and wireless convenience**

NT9005

RF5501-433

WLS914-433

RF5108WKK1-433

PC5132/PC4164-433

PC5320

WLS912L-433

WLS904PL-433

WLS925L-433

WS4955

Fixed-Message LCD Keypad with Integrated Wireless Receiver

RF5501-433

- Integrated 433 MHz wireless receiver
- Integrated zone input/programmable output
- Dedicated programmable output
- Integrated temperature sensor
- 32 wireless zones, 16 wireless keys without using a zone slot
- 5 programmable keys for simple 1-button activation of system functions
- Available with black or white lenses

Wireless Key Kit

RF5108WKK1-433

- 433 MHz wireless key receiver
- Supports up to 8 wireless keys (without taking up a zone slot) and 8 wireless detectors
- Uses an internal antenna
- KEYBUS-compatible with PowerSeries™ control panels
- 2 on-board, fully programmable (50 mA) outputs
- WS4939 4-button wireless key included
- Armed LED and monitoring plate included

Wireless Receivers

PC5132/PC4164-433

- Supports 32/64 wireless detectors, 16 wireless keys
- PC5132-433 is compatible with all PowerSeries control panels
- PC4164-433 is compatible with the MAXSYS® control panel

Multiple Receiver Module

PC5320

- Can be used to connect up to 4 wireless receivers to any PowerSeries control panel for increased coverage
- The PC5320 module supports: PC5132-433 and RF5108-433

RELIABLE PROTECTION FOR FAMILIES AND BUSINESS PEOPLE

Photoelectric Smoke Detector

WS4916

- Low-profile design
- Automatic drift compensation
- Built-in, dual-sensor heat detector
- Easy-maintenance removable smoke chamber
- Built-in 85 dB horn
- High/Low sensitivity reporting
- Local test button
- Low-battery indication
- Non-contact sensitivity testing with FSD-100 handheld test meter

UNIQUE TO DSC: CHECK SYSTEM STATUS AT A GLANCE

Status Module

PC5601

- Tri-color LED provides security-system status at a glance
- Standard single-gang footprint
- Sleek plastic enclosure complements home décor
- Color-coded wiring harness included
- KEYBUS-compatible with all PowerSeries™ control panels

Door/Window Contact

WLS925L-433

- Built-in reed switch
- Normally closed external contact input
- Long-life lithium battery included

Mini Door/Window Contact

WS4955

- Long-life lithium coin cell battery included
- Pre-installed battery with activation pull tab
- 5/8″ (16 mm) maximum magnet gap
- Multiple mounting options (screws and double-sided tape included)

Passive Infrared Detector

WLS914-433

- Based on the Bravo® 6 hardwire motion detector
- High-traffic shutdown
- Pet immunity up to 85 lbs (38 kg)
- 4 'AA' batteries included

Passive Infrared Detector

WLS904PL-433

- Based on the Bravo 3D hardwire motion detector
- High-traffic shutdown
- Pet-immunity up to 60 lbs (27 kg)
- Long-life lithium battery included

Envoy LCD Self-Contained Security System

NT9005

- Large, fixed-message LCD display
- LCD-driven template programming
- Supports 32 wireless detectors, 16 wireless keys
- 5 programmable keys for simple 1-button activation of system functions

Glassbreak Detector

WLS912L-433

- Based on the Acuity™ glassbreak detector
- Tamper activated test mode:
  -Should be tested using the AFT-100 glassbreak tester
- 2 long-life lithium batteries included

MAXIMIZE POWERSERIES™ OR MAXSYS® PERFORMANCE

Convert any PowerSeries or MAXSYS alarm panel into a hybrid wireless alarm system using our proven wireless receivers. For PowerSeries alarm panels, you can choose the RF5501-433 fixed-message LCD keypad with integrated wireless receiver or you can choose the RF5108-433 or PC5132-433 wireless receivers.

Wireless capabilities are achieved for MAXSYS alarm panels with PC4164-433 wireless receivers. Whatever your needs, you will benefit from the exceptional performance, reliability, flexibility and ease of installation provided by DSC wireless products.

THE WIRELESS-READY KIT-120

The Kit-120, an out-of-the-box, wireless-ready hybrid panel solution, includes the Power632™ control panel, RF5501-433 fixed-message LCD keypad with integrated wireless receiver, Bravo® 3 digital pet immune PIR, accessories and more.

Features include:

▶ **Expandable from 6 hardwire zones to 32 wireless zones**

▶ **38 user codes**

▶ **128-event log**

▶ **Supports up to 16 wireless keys**

▶ **Built-in telephone line fault monitor**

▶ **Built-in siren circuit support**

▶ **SKYROUTE™ compatible**

Distributed by:

DSC®

tyco / Fire & Security