# **Video Security**

Housings | eneo Stainless Steel Housings

**ESH-10** 

Stainless Steel Weatherproof Housing AISI 316, IP68, 2x M16x1.5

Art-No. 79628





#### **Features**

Stainless Steel Housing according to EN10088

Internal Dimensions: 85x85x320mm

Window Diameter: 90mm 2 Cable Entries M16x1.5mm Housing Surface: Polished **Index of Protection: IP68** 

Temperature Range -20°C to +50°C, depend on Option: Wall bracket/Sunshield/Heaters/PSU's Recommended Connection Cable: MCAB-1, #87404


### **Specifications**


Housing length	342mm (usable camera length) 282mm with PSU
Space for power supply	60mm
Cable entries	2x Metal glands M16x1.5mm
Window screen	Tempered glass 96x5mm (Diam. x thickness) Vandalism-proof glass: up on request
Clear Shield	no
Heater/sunshield	see accessories
Window heater	optional, 100 $\sim$ 240VAC or 12 $\sim$ 24VDC/AC (with thermostat)
Sunshield	no
Hidden cable management	no
Integrated wall mount	no
Protection rating	IP68
Housing	outdoor housing, Stainless steel AISI 316 (X5CrNiMo)
Housing material	stainless steel
Colour (housing)	metal look, polished
Dimensions (HxWxD)	See drawing
Weight incl. sunshield	9,0kg


## ESH-10


## **Accessories**


79656 / ESH/CB	Ceiling Mount Bracket with Swivel Head for ESH Housing Series, AISI 316
79629 / ESH/WB	Wall Mount with Swivel Head for ESH Housing Series, AISI 316
79655 / ESH/PM	Pole Mount Kit for ESH/WB, AISI 316, ESH Housing Series
79631 / ESH/SH	Sunshield for ESH-10 Stainless Steel Housing, AISI 316L
79634 / ESH/HT100-240	PTC Window Heater 100-240VAC for ESH-10 Housing Series w. Thermostat
79633 / ESH/HT12-24	PTC Window Heater 12-24V for ESH-10 Housing Series w. Thermostat
79635 / ESH/NE12VDC	Power Supply Unit 230V0/12VDC (400mA) for ESH Housing Series
79636 / ESH/NE24VAC	Power Supply Unit 230V/24VAC (400mA) for ESH Housing Series
70457 / AK-3	Camera Connection box, 230VAC Input 24VAC-100W, 12VDC-1A Output














Maße/Dimensions: mm

VIDEOR TECHNICAL E. Hartig GmbH
Carl-Zeiss-Straße 8 · 63322 Rödermark · Germany
Telefon +49 (0) 60 74/8 88-0 · Telefax +49 (0) 60 74/8 88-100
info@videortechnical.com · www.videortechnical.com

