F03Z2.710DC-NFS

Home | Security | Lenses | Varifocal

F03Z2.710DC-NFS

F1.0/3-8mm DC Lens/var. Focal Length with No Focus Shift,

1/3"CS Mount

Art-Nr. 43238





Main Features

Suitable for 1/3" and 1/4" Colour and B&W Cameras No-Focus-Shift from Visible to Near IR Light Range Variable Focal Length Aspherical Lens Elements CS Mount High Standard of Optical and Mechanical Quality Without Built-in Auto Iris Amplifier With 4-pin Connector Adjustable Slip-ring Mount for Cable Positioning

Specifications

Lens type	varifocal
Application range	day/night
Aspherical technology	yes
Nominal format size	1/3″
Flange focal length	12.5mm
Mount	CS
Focal length	3 mm - 8 mm
Horizontal angle of view	90,8° - 36,2°
MOD (Minimum object distance)	0,2 m
Aperture range (F)	F1.0~F240
Iris control	DC
Focus constant range	+0.03mm at f3.0mm; +0.03mm at f8.0mm (Focus deviation at switch-over to IR light at 850nm)
Screw-in depth	5.0mm

 $^{^{\}circledR}$ Copyright VIDEOR E. Hartig GmbH, February 2010- Technical changes reserved

F03Z2.710DC-NFS


(Continuation Spezifications)

Filter screw size	not available
Cable length	approx. 20cm
4-pin plug	Standard
Temperature range (Operation)	-20°C ~+50°C
Length	42 mm
Diameter	33 mm
Radius	25,2 mm
Weight	approx. 40g

F03Z2.710DC-NFS

Home | Security | Lenses | Varifocal

Technical drawing





VIDEOR E. Hartig GmbH, Carl-Zeiss-Straße 8, 63322 Rödermark, Germany - www.videor.com