

Video Security



VMC-21/1

21"(53cm) Colour Monitor, Composite, Y/C, Audio Inputs, 500TVL

Art-No. 90442



Features

21" High Resolution Picture Tube
Resolution of 500 Horizontal Lines
Automatic PAL/NTSC Selection
Video / Audio Loop-through Inputs
Over / Underscan Function

Built-in Comb Filter
Built-in Loudspeaker
Universal Voltage Input: 100 to 240VAC, 50/60 Hz
Detachable Power Cord
Rugged Metal Housing

Specifications

Picture tube type (CRT)	90° In-line flatscreen tube (0.74mm DOT pitch)
Screen size	21" (53cm)
Video standard	PAL/NTSC
PAL/NTSC signal selection	Automatic
Scanning frequency range H/V	15625 / 50Hz, 15750 / 60Hz
Horizontal resolution	450 TV lines
Video inputs	2x 1Vp-p, CVBS, (loop-through), automatic 75ohms termination, Y/C input, 4-pin Mini DIN, 75ohm (loop-through)
Audio inputs	2x 300mVrms, Cinch (loop-through)
Connectors	2x Video and audio loop-through inputs (BNC/Cinch), Y/C loop-through input (4-pin Mini DIN), Power input
Synchronization	Internal
Audio output power	2watts
Over-/Underscan	7% / 3%
LED indication	Sources selected, Power ON/OFF
Operations (Front part)	On-screen menu, Menu selection, Input selectors, Over/Underscan button, Power ON/OFF
Operations (back part)	None
Supply voltage	100 to 240AC, 50/60Hz

(Specifications continued)

Power consumption	80watts
Temperature range	0°C to +40°C
Housing	Steel (with plastic front)
Colour	Pantone Coolgrey 7C
Dimensions (HxWxD)	450x490x478mm
Weight	27.5kg
Special features	Automatic 75ohms termination on not-used BNC loop-through inputs, Detachable power cord

VIDEOR TECHNICAL E. Hartig GmbH
Carl-Zeiss-Straße 8 · 63322 Rödermark · Germany
Telefon +49 (0) 60 74/8 88-0 · Telefax +49 (0) 60 74/8 88-100
info@videortechnical.com · www.videortechnical.com

