

ZELARIS BASIC

Home | Security | IP Video Management | Software

ZELARIS BASIC

Video Management Software, ONVIF, Single User,
for 4 Cameras, expandable

Art-Nr. 76101



Main Features

Video management software for network cameras
License for 4 network cameras and encoders
Extensible to 64 video sources max.
Simultaneous support of different systems
Live display, recording, playback, alarm process.
Different update rates from 1 to 25 ips.

MJPEG recording format (external back-up possible)
Integrated motion detector - channel programmable
Zoom function at live and playback
Supports PTZ functionality
PC-Plattform: Windows 2003, XP, Vista, 7
Different password levels

Specifications

Software Categorie	Video Management
Series	eneo Zelaris
Application	Single user solution, small to medium-sized systems
Operation system	Windows 2003, Windows XP, Windows Vista, Windows 7
On-screen display	VGA card for display all live pictures
Demo version	time limit
Hardware recommendation (CPU)	Core2Duo
Hardware recommendation (HD capacity)	360 GB
Hardware recommendation (RAM)	2048 MB
Hardware requirement (CPU)	Core2Duo
Hardware requirement (HD capacity)	360 GB
Hardware requirement (RAM)	2048 MB
Licensing type	per channel

ZELARIS BASIC

(Continuation Specifications)

Licensing method	Dongle
Languages (client)	German, English, French, Italian, Spanish, Portuguese, Czech, Polish
Support of mobile units	no
Alarm management	eMail, OPC-Server, OPC-Client, scripting language, FTP, yes
Control units (external)	System Keyboard, Mouse, Jog Shuttle, Keyboard
Decoder support	no
Site maps	yes
Multi monitor operation	yes
PTZ Support	yes
Recording format	MJPEG
Playback format	MJPEG, MPEG4 via ActiveX, H.264 via ActiveX
Recording settings	choosable per channel
Recording functions	time triggered, permanent, motion detector, contact, OPC
Supported network suppliers	Arecont, Avermedia, Aviosys, Axis, Basler, Bosch, Canon, CBC, Convision, Dallmeier, Dedicated Micros, D-Link, Eltis, Emitall, eneo, Flexwatch, Geutebrück, Grandtec, Hawking, Hunt, Inform, Intellinet, IQ-Eye, JVC, Kingwave, Levelone, Levo, Levono, Lindy, Lumenera, Mobi, Mobotix, NKF Siquira, Orite, Panasonic, Pelco, Pixford, Security Center, Sensormatic, Siemens, Sony, Stardot, Sweex, Toshiba, TRenDnet, Trust, VC, VCenter, Vidisys, Vivotek, VLC, Xannet, Y-Cam
Supported video sources	network camera, digital video recorder, network encoder, analogue camera
Support of video grabbers	no
Compression standard	MJPEG
Managable video sources max.	4, 64 (optional)
Remote access	no
OPC connection	no
Analysis mode	live, archive
Activity detection	yes
Card skimming	no
Face identification	no
Number plate recognition	no
Left luggage recognition	no
Object classification	no
Object tracking	no
People loitering	no
People counter	no
Smoke/fire detection	no
Direction detection	no
Obstruction detection	yes
Product training	available

ZELARIS BASIC

(Continuation Specifications)

Analysis Functions	Motion detection, Obstruction detection
ONVIF	version 1.01
Certificates	BGV Kassen

Optional accessories

98143	AXIS T8310	Control Center, modular, with Keypad, Joystick, Jog Dial
76022	S-PRO V.2	Multi-button Jog & Shuttle Multimedia Controller
76105	ZELARIS BAS EXT	Extension Licence, for ZELARIS BASIC, additional 4 Cameras, max. 64, ONVIF
76112	ZELARIS ANALYZE	Object Analysis, Extension Module for ZELARIS, License per Channel

