


DS-2CC194P (N)-A Analog Color Camera



Key Features

- Compact design
- 1/3" SONY Super HAD CCD
- Auto white balance, auto gain control, electronic shutter control, and backlight compensation
- Flickerless mode
- ICR filter auto switch
- OSD menu
- Auto iris with DC/video driver
- CS mount lens (provide adapter for C mount lens)
- Internal or power synchronization

Specifications

Camera

Image Sensor	1/3" Sony Super HAD CCD
Signal System	PAL/NTSC
Effective Pixels	PAL: 752 (H)×582 (V) NTSC: 768 (H)×494 (V)
Sync. System	Internal / Power
Horizontal Resolution	540 TVL (Color) 600 TVL (B/W)
Video Output	1Vp-p Composite Output (75Ω/ BNC)
S/N Ratio	50dB
Day & Night	Auto IR Cut Filter (On/Off)
Min. Illumination	0.1Lux @ F1.2 (Color) 0.01Lux @ F1.2 (BW)

Lens

Lens Mount	C / CS Mount
Auto Iris Input	Yes

Menu

Camera Title	On / Off (Up to 15 Characters)
Iris	Auto / Manual
Electronic Shutter Speed	1/50 (1/60)s to 1/100,000s
Auto Gain	Low / Middle / High / Off
Day & Night	Auto1 / Auto2 / Color / BW
Auto White Balance	Auto Trace AWB1/ Auto Trace AWB2 / Manual / Auto
Private Mask	On / Off (Max. 8 Zones)
Eclipse	On / Off
Motion Detection	Mode1 / Mode2 / Off
Special Function	Language, Synchronization, BLC, Gama Amendment, Flicker Proof, System Information, Mirror Function, POS/NEG Disposition, Definition
Communication Interface	RS-485 Protocol, Baud Rate, Address

General

Power Supply	24VAC / 12VDC
Operating Temperature	-10°C ~ 60°C
Power Consumption	4W Max. (10W Max. w/ ICR on)
Dimensions	65mm×55mm×118mm
Weight	500 g