

## DS-D5065UC 64.5" 4K Monitor



### Key Features

- Designed for surveillance, high reliability and stability
- 4K resolution is 4 times 1080P can own broader view and more abundant details
- High performance CPU with dual core A73 1.2GHz
- HDMI support up to 4K@60Hz
- Multiple inputs: HDMI, VGA,RJ45,USB
- Build-in speaker, Audio 8W\*2
- Narrow front Bezel

### Interfaces



NO.	Description
1	RS232
2	HDMI 2.0*2
3	VGA
4	LAN
5	Audio out
6	Audio in
7	USB3.0*1 /USB2.0*1
8	TF card
9	OPS



# Specifications

<b>Model</b>	DS-D5065UQ/DS-D5065UC	
<b>Backlight</b>	D-LED	
<b>Screen Size</b>	64.5 inch	
<b>Pixel Pitch</b>	0.372mm(H) * 0.372mm (W)	
<b>Max Resolution</b>	3840 * 2160	
<b>Brightness</b>	400 cd/m2(Typ.)	
<b>Contrast</b>	1200:1	
<b>Response Time</b>	8ms	
<b>Color</b>	1.07billion	
<b>Active Area</b>	1428.48mm(H) * 803.52mm(V)	
<b>Viewing Angle</b>	Horizontal 178°, Vertical 178°	
<b>Interfaces</b>	RS232	1
	HDMI 2.0*2	2
	VGA	1
	LAN	1
	Audio out	1
	Audio in	1
	USB3.0*1 /USB2.0*1	2
<b>Power Supply</b>	AC 100~240V, 50/60 Hz	
<b>Power Consumption</b>	≤270W	
<b>Standby Power Consumption</b>	0.5W	
<b>Loudspeaker</b>	8W*2	
<b>Working Temperature</b>	0~40°C	
<b>Working Humidity</b>	20% - 80%RH(No Condensation)	
<b>Storage Temperature</b>	-20°C ~ + 60°C	
<b>Storage Humidity</b>	10% - 90%RH(No Condensation)	
<b>Color of Casing</b>	Black	
<b>VESA</b>	400mm*400mm	
<b>Dimensions(W*H*D)</b>	1458.7mm*834.7mm*.81.6mm	
<b>Packing Dimensions(W*H*D)</b>	1655mm*1078mm*280mm	
<b>Gross Weight</b>	30.6kg	
<b>Net Weight</b>	24.5kg	
<b>Accessories</b>	Power cord	
	Battery	
	Remote Control	
	User manual	
	HDMI cable	
<b>Bracket</b>	Pedestal	NA
	Wall mounted	Optional DS-DM6586W
<b>*Note</b>	All specifications mentioned above are subject to the actual product	

# Dimensions (unit: mm)

