

Analog IR bullet camera

LTV-CDH-B6001L-V2.8-12



- High Resolution 700TV LINE
- 1/3" DiS
- Day and Night : Mechanical IR Cut filter
- Built-in vario focal lens, f= 2.8-12 mm
- IR LED, max. 40 m
- Weatherproof to IP66
- Operating Temperature -40°C...+60°C

Video	Imaging device	1/3" DiS
	Effective Pixels (H×V)	976x496
	Electronic shutter speed	1/50 ~ 1/100,000 sec.
	Resolution	700 TVL
	Video Min illumination	Color: 0.14 lux @ F1.4 B/W: 0 lux (IR on.)
	Video Output	1.0 Vp-p / 75 Ω composite
	Gamma Correction	0.45
	Synchronisation	Internal
	S-N Ratio	More than 62dB (AGC OFF)
Lens	Lens Type	Build-in
	Focal Length zoom ratio	f= 2.8-12 mm
	iris Control	DC Auto IRIS
	Day and Night	Yes (Mechanical IR Cut filter)
Functions	IR illumination	Build-in, max. 40 m
	Backlight Compensation	BLC
	Gain control	AGC
	White Balance	AWB
	Input Voltage -Current	DC12V (MAX. 330mA)
	Performance	Outdoor
Mechanical	Ingress Protection	IP66
	Operating Temperature	-40°C...+60°C
	Dimensions (W×H×D)	105mm x 86.9mm x 267.2mm
	Weight	0.73 kg