

PARABIT

Enhancing Self-Service & Improving Security

ATM Access Control Catalog

2015

ATM
LOBBY
ACCESS
CONTROL

SkimGard™

Building Access

CARD READERS

Cellular Gateway

SkimGard™

Instructional Decals

ATM Lobby

Access Control

DEMO
KITS

ACS-1E Control Panel



Part# 200-10126

11.38" w x 12.06" h x 2.11" d



- A) **Optional 2nd Card Reader Board**
Part# 200-10103 ACS-1E-2R
- B) **Optional 4 Port I/O Board**
Part# 200-10110 ACS-1E-IO
- C) **Optional Modem**
Part# 200-10137 ACS-1E-MO

The ACS-1-E Control Panel provides reliable Track 2 Magnetic Stripe access control to your ATM Lobby/Vestibule or Night Drop. The embedded Ethernet feature with the ACS Enterprise Software option provides additional convenience in controlling thousands of installations from anywhere within your network.

The ACS-1E Control Panel also supports a 2nd Card Reader option as well as a 4 Port I/O Adapter for easy integration into any Alarm Panel, Video Recording System or any other piece of equipment with inputs/outputs.

Required Software:

ACS Enterprise software

- **Part # 200-50005** Enterprise Multi-User - Multi-Site Database Management/ Diagnostic Software
- **Part # 200-50006** Enterprise Single-User - Multi-Site Database Management/Diagnostic Software
- **Part # 200-50007** Enterprise Single User - Single-Site Database Management/Diagnostic Software

The ACS Enterprise software performs the function of remotely managing and programming the ACS-1E Control Panels. This software is based on Microsoft SQL and communicates over TCP/IP via port 2000, dial up modem or wireless. Detailed log of activities are stored within the data base for long term retrieval. ACS-1E-IP requires a fixed IP address.

Additional Products for Securing ATM Lobby/Vestibules:

- Refer to the [ATM Door Lock/Exit Hardware Catalog](#)

ACS-1E Kit w/*SkimGard™* Insert Reader

Part # 200-20040

Kit Includes:

- ACS-1E Control Panel in Standard Case
- 40' of 6 conductor 24 ga. shielded Card Reader Cable
- *SkimGard™* Insert Card Reader
Note: Select Optional Collar w/Tamper Detection as required
- Insertion Instructional Decals
- ACS-1E Control Panel Power Supply
- Direct Connect ACS-1E Control Panel Configuration



SkimGard™

Our *SkimGard™* system detects; the tampering, cable cut and installation of a skimming device over our *SkimGard™* ATM Access Control Card Reader. *SkimGard™* integrates with any alarm panel, video recorder or ATM out-of-service input.

Tamper Collar required

ACS-1E Kit w/Insert Reader

Part # 200-20044

Kit Includes:

- ACS-1E Control Panel in Standard Case
- 40' of 8 conductor 22 ga. shielded Card Reader Cable
- Insertion Instructional Decals
- ACS-1E Control Panel Power Supply
- Direct Connect ACS-1E Control Panel Configuration Card reader



- Flush Mount Design
- Interior or Exterior Use
- Anodized Aluminum Bezel, Stainless Steel Casing
- Weather Resistant Design

* Available with Piezo- ACS-Piezo

Tamper Collar required

ACS-1E Kit w/Contactless EMV/NFC Reader

Features:

- Cable Cut & Tamper Detection
- Weather Resistant Design
- LED Light



ACS-1E Kit w/Swipe Reader, Piezo Buzzer & Tamper Switch

Part # 200-20043

Kit Includes:

- ACS-1E Control Panel in Standard Case
- 40' of 8 conductor 22 ga. shielded Card Reader Cable
- Instructional Decals
- ACS-1E Control Panel Power Supply
- Direct Connect ACS-1E Control Panel Configuration
- Surface Mount Design
- Interior or Exterior Use
- Brushed Stainless Steel Cover
- Weather Resistant Design



ACS-1 Control Panel



Part# 200-10006
 6.25" W x 7.25" H x 2.04" D

Parabit's ACS-1 Control Panel provides scalable levels of security for your customers. The ACS-1 system provides an option to record users of the Access System. The ACS-1 supports local management of the ATM Lobby Hours via a local computer. This system can also be installed by local Authorized Parabit Service Partners.

The ACS-1 Control Panel also supports an auto-re lock feature and remote egress features. The ACS-1 can also support a Night Drop lobby as well as replace a key-lock system for the Night Drop allowing any customer with an ATM card from your bank to make a deposit at the Night Drop.

Optional Software:

Part# 200-50000

Single-User Database Configuration Software

The application provides an easy to follow user interface for the configuration options of the controller as well and logging capabilities. The configuration of location hours of operations for door locking and unlocking as well as holiday exceptions are clearly laid out.

Date and time corrections in addition to schedule verification are a single mouse click. When the host PC for the application is connected to a controller via the provided Parabit connection cable all card numbers, date and time may be logged for easy audit of location activity. This system has been designed to install on a windows 2000 or XP based PC with a minimal foot print to other production applications.

ATM Access Control Kits

Part # 200-20001

Kit includes:

- ACS-1 Control Panel in Standard Case
- Swipe Card Reader
- Serial Port
- 40 ft. Card Reader Cable
- Power Supply
- Instructional Decal Set



Additional Upgrades:

- **Cable Cut Upgrade** Model Number: **Part# 200-10023**
- **Tamper Detection** Model Number: **Part# 200-20021**
- **Tamper with Piezo** Model Number: **Part# 200-20030**

Part# 200-20003

Kit includes:

- ACS-1 Control Panel in Standard Case
- Insert Card Reader
- Serial Port
- 40 ft. Card Reader Cable
- Power Supply
- Instructional Decal Set



Additional Upgrades:

- **Cable Cut Upgrade** Model Number: **Part# 200-10023**
- **Tamper Detection** (contact Parabit for info)

Part # 200-20022

Kit includes:

- ACS-1 Control Panel in Standard Case
- 40 ft. Card Reader Cable
- Power Supply
- Insert Card Reader w/ *SkimGard™* Technology
 - Featuring: 3 Point Fraud Detection System (Overlay/Tamper/Cable Cut)
- Remote ACS Card Reader
- SkimGard Logic Board
- Instructional Decal Set



SkimGard™

Our *SkimGard™* system detects; the tampering, cable cut and installation of a skimming device over our *SkimGard™* ATM Access Control Card Reader. *SkimGard™* integrates with any alarm panel, video recorder or ATM out-of-service input.

Additional Products for Securing ATM Lobby/Vestibule:

- Refer to the [ATM Door Lock/Exit Hardware Catalog](#)

ACS-2 Control Panel



Part# 200-10077

Part# 200-10003

12.12" W x 12.07" H x 4.23" D

The ACS-2 Control Panel is the ultimate solution in ATM Facilities Management and remote Monitoring. You can update the ATM lobby door, open and close schedule times, download card audit trail, lock or unlock a location, update accept tables, manually check the status of all sensors (including Door, Bond, Light, Motion, Inputs and Glass Break).

Required Software:

ACS Enterprise software

- **Part# 200-50005** Enterprise Multi-User - Multi-Site Database Management/ Diagnostic Software
- **Part# 200-50006** Enterprise Single-User - Multi-Site Database Management/Diagnostic Software
- **Part# 200-50007** Enterprise Single User - Single-Site Database Management/Diagnostic Software

The ACS Enterprise software performs the function of remotely managing and programming the ACS 2 Control Panels. This software is based on Microsoft SQL and communicates over TCP/IP via port 2000, dial up modem or wireless.

Detailed log of activities are stored within the data base for long term retrieval. ACS2-IP requires a fixed IP address.

ATM Access Control Kits

Part # 200-20005

Kit includes:

- ACS-2 Control Panel in Standard Case
- Swipe Card Reader
- IP Adapter
- 40 ft. Card Reader Cable
- Power Supply
- Instructional Decals



Additional Upgrades:

- **Cable Cut Upgrade** Model Number: **Part# 200-10023**
- **Tamper Detection** (contact Parabit for info)
- **Modem** Model Number **Part# 200-20009**

Part # 200-20007

Kit includes:

- ACS-2 Control Panel in Standard Case
- Insert Card Reader
- IP Adapter
- 40 ft. Card Reader Cable
- Power Supply
- Instructional Decals



Additional Upgrades:

- **Cable Cut Upgrade** Model Number: **Part# 100-20023**
- **Tamper Detection** (contact Parabit for info)
- **Modem** Model Number **Part# 200-20011**

Our **SkimGard™** system detects; the tampering, cable cut and installation of a skimming device over our **SkimGard™** ATM Access Control Card Reader. **SkimGard™** integrates with any alarm panel, video recorder or ATM out-of-service input.

Part # 200-20026

Kit includes:

- ACS-2 Control Panel in Standard Case
- Modem
- 40 ft. Card Reader Cable
- Override Toggle Switch
- Power Supply
- Black Insert Card Reader w/ **SkimGard™** Technology
 - Featuring: 3 Point Fraud Detection System (Overlay/Tamper/Cable Cut)
- Remote ACS Card Reader
- SkimGard Logic Board
- Instructional Decals

Part # 200-20024

Kit includes:

- ACS-2 Control Panel in Standard Case
- 10/100 Ethernet Adapter
- 40 ft. Card Reader Cable
- Override Toggle Switch
- Power Supply
- Black Insert Card Reader w/ **SkimGard™** Technology
 - Featuring: 3 Point Fraud Detection System (Overlay/Tamper/Cable Cut)
- Remote ACS Card Reader
- SkimGard Logic Board
- Instructional Decals



SkimGard™

Additional Products for Securing ATM Lobby/Vestibule:

- Refer to the [ATM Door Lock/Exit Hardware Catalog](#)

Replacement Parts

SkimGard™

Part# 200-10003

- ACS-2 Control Panel in Standard Case
12.25" W x 16.25" H x 7.125" D

Available in UL Listed Case:

Part# 200-10004



ACS-1 SkimGard™ Upgrade

Part# 200-20032

- ACS-1 Parabit Black Insert Reader with **SkimGard™** Technology
- Featuring: 3 Point Fraud Detection System (Overlay/Tamper/Cable Cut), Remote ACS Card Reader SkimGard Logic Board, Interface Board, Decals Set.

*****Requires Tamper Switch Collar - Please refer to SkimGard™ collar section on page 8***
You may require SkimGard™ adaptor plate (See Page 7)**



ACS-2 SkimGard™ Upgrade

Part# 200-10121

- ACS-2 Parabit Black Insert Reader with **SkimGard™** Technology
- Featuring: 3 Point Fraud Detection System (Overlay/Tamper/Cable Cut), Remote ACS Card Reader SkimGard Logic Board, Decals Set.

*****Requires Tamper Switch Collar - Please refer to SkimGard™ collar section on page 8***
You may require SkimGard™ adaptor plate (See Page 7)**



Part# 200-10006

-ACS-1 Control Panel in Standard Case
8.3125" W x 8.375" H x 4.25" D

Available in UL Listed Case:

Part# 200-10007



Part# 200-10092

- **SkimGard™** Insert Reader
1.75" w x 4.8" h x 3.42" d



Part# 200-10104

- **SkimGard™** Insert Reader
ONLY for ACS-1 Control Panel



Part# 200-10079

- **SkimGard™**
Reader Logic Board
ONLY for ACS-2 Control Panel



Part# 200-10009

-ACS Card Reader Insert
4.5"w x 1.75" h x 3.10"d

- * Standard Brushed Stainless
- * Steel Powder Coat Available



*For ACS-1 & ACS-2 Control Panel **ONLY**

Part# 200-10010

-ACS Card Reader Surface Mount Swipe
1.5" w x 5.25" h x 1"d

- * Standard Brushed Stainless
- * Steel Powder Coat Available



Part# 200-10011

-with Tamper Switch Option

*For ACS-1 & ACS-2 Control Panel **ONLY**

Part# 200-10084

-ACS Card Reader Surface Mount Swipe
w/ Piezo Buzzer
1.5" w x 5.25" h x 1"d

* Available with Tamper:
Part# 200-10088



*For ACS-1 & ACS-2 Control Panel **ONLY**

Part # 200-10143

-ACS Card Reader Insert
4.8"w x 1.75" h x 3.089"d

- *Flush Mount Design
- *Interior or Exterior Use
- *Anodized Aluminum Bezel, Stainless Steel Casing
- *Weather Resistant Design



*For ACS-1E Control Panel **ONLY**

Part # 200-10142

-ACS Card Reader Surface Mount Swipe
w/ Piezo Buzzer & Tamper Switch
1.5" w x 5.25" h x 1"d

- *Surface Mount Design
- *Interior or Exterior Use
- *Brushed Stainless Steel Cover
- *Weather Resistant Design



*For ACS-1E Control Panel **ONLY**

Replacement Parts

Part# 200-10023

-ACS Cable Cut Sensor Board



Part# 200-10021

-Night Drop Mag-Stripe Card
-100 card min qty order

*Specify six (6) digit Bank Identification Number (BIN) when ordering



Part# 200-10022

- Generic ISO Test Card



Part# 200-10025

- ACS-2 Modem



Part# 200-10043

- ACS-2 Controller Board Only



Part# 200-10012

- ACS-2 IP Circuit Board



Part# 200-10134

- ACS-2 Modem



Part# 200-10062

- ACS-2 Riser Card



Part# 200-10080

Operating Voltage: 1-18vdc
Max Rated Current: 20ma
Min Sound Output: 85db (single tone)
Operating Temp: (-10- +45 Degrees C)
Dimensions: 15.4x 13.9mm



Part# 200-10001

- Override Switch
SPST
125VAC 3A
250VAC 1.5A



Part# 200-10058

-Tamper Switch



Card Reader Adapter Plates & Covers

SkimGard™

Part# 100-00120

SkimGard™ Version ACS Card Reader Adapter Plate
1.75" h x 9" w x 0.125"d
Finish: Clear Anodized Aluminum



Part# 100-00121

SkimGard™ Version ACS Card Reader Adapter Plate
1.75" h x 9" w x 0.125"d
Finish: Clear Anodized Aluminum w/Offset



Part# 100-00122

SkimGard™ Version ACS Card Reader Adapter Plate
3" h x 4.8" w x 0.125"d
Finish: Clear Anodized Aluminum
Material: Aluminum



Part# 100-00123

SkimGard™ Version ACS Card Reader Adapter Plate
4.75" h x 4.8" w x 0.125"d
Finish: Clear Anodized Aluminum
Material: Aluminum



Part# 100-00124

SkimGard™ Version ACS Card Reader Adapter Plate
5" h x 7" w x 0.125"d
Finish: Clear Anodized Aluminum
Material: Aluminum



Part# 100-00001

- ACS Card Reader Adapter Plate
1.75" h x 9" w x 0.125" d
Finish: Clear Anodized Aluminum
Material: Aluminum



Part# 100-00002

- ACS Card Reader Adapter Plate
3" h x 4.75" w x 0.125" d
Finish: Clear Anodized Aluminum
Material: Aluminum



Part# 100-00003

- ACS Card Reader Adapter Plate
4.75" h x 4.3125" w x 0.125" t
Finish: Clear Anodized Aluminum
Material: Aluminum



Part# 100-00004

- ACS Card Reader Adapter Plate
5" h x 7" w x 0.125" d
Finish: Clear Anodized Aluminum
Material: Aluminum



COVER PLATES

* Powder coat available for all the above

* **Special Order**

- **Part# 100-00010**
9" h x 1.75" w
- **Part# 100-00011**
6.5" h x 1.75" w
- **Part# 100-00012**
5.5" h x 1.75" w



Part# 100-00005

- ACS Card Reader Spacer
4.4375" h x 1.75" w x 0.5" d
Finish: Clear Anodized Aluminum
Material: Aluminum



Collars & Boxes

SkimGard™


Part# 100-00137

- *Required for *SkimGard™* :
- Flush Mount *SkimGard™* Reader
- Flanged Collar w/Tamper Switch
- Overall size: 4" h x 5" w x 3" d
- Opening: 3.71875" x 1.3125"
- Hole Mount: 4.015"



Part# 100-00118

- *Required for *SkimGard™* :
- Single Collar Side Mount Unit - 3" D
- *SkimGard™* Reader Collar w/ Side Mount Bracket with Tamper Switch
- 5.875" H x 1.75" W x 3" D
- Finish: Clear



Part# 100-00103

- * Required for *SkimGard™*
- 3" *SkimGard™* Reader
- Dual Collar w/ KeySwitch and Tamper Switch
- 10.75" H x 1.75" W x 3" D
- Finish: Clear



Part# 100-00116

- *Required for *SkimGard™*
- 2" *SkimGard™* Reader Collar with Tamper Switch
- 6" H x 1.75" W x 2" D
- Finish: Clear



Part# 100-00117

- * Required for *SkimGard™*
- 1/4" *SkimGard™* Reader Spacer Plate with Tamper Switch
- 4.8125" H x 1.75" W x 0.25" D
- Finish: Clear



Part# 100-00156

- * Required for *SkimGard™*
- 3" *SkimGard™* Collar 45° Adapter
- Overall size: 6.25" H x 2.125" W x 1.75" D



Part# 100-00136

- Flush Mount Flanged Collar w/ Tamper Switch-Clear
- Overall size: 4" H x 5" W x 3" D
- Opening: 3.25" x 1.025"
- Hole Mount: 3 .75"



Part# 100-00109

- Single Collar Side Mount Unit - 3" D
- Reader Collar with Side Mount Bracket
- Collar Specs: 5.875" H x 1.75" W x 3" D
- Finish: Clear Anodized Aluminum
- Material: Aluminum

- * Available with Tamper Switch :
- Part# 100-00110** ACS-CR-SD-MT1
- * Includes Tamper Switch



Part# 100-00099

- Double Collar Side Mount Unit - 3" D
- Reader Collar with Side Mount Bracket
- Collar Specs: 10.75" H X 1.75" W X 3" D
- Finish: Clear Anodized Aluminum
- Material: Aluminum

Part# 100-00013

- * Includes Tamper Switch



Part# 100-00086

- 2" ACS Insert Reader Collar with Tamper Switch - Clear
- 5.875" H X 2" W X 2" D

- ACS Insert Reader Collar with Tamper Switch - Clear
- 1.75" W x 2.25" D x



Part# 100-00096

- 1/4" Card Reader Spacer Plate
- 4.1875" H X 1.75" W X 0.25" D

Part# 100-00087

- *Includes Tamper Switch



Part# 101-00011

- Brushed Stainless Steel Surface Mount Card Reader Case with Rain Guard & Drainage Plate
- 3.11" H x 4.9375" W x 5" D



Part# 101-00010

- Brushed Stainless Steel Surface Mount Card Reader Case
- 3" H x 4.75" W x 4" D



Through the Glass Mounting Cases

Part# 101-00001

- Through The Glass Mounting Case for Card Reader and Exit Button with 42" Polished Stainless Steel Post - **Card Reader Not Included**

- **Part# 200-10064**

Materials:

- Steel
- Clear Anodized Aluminum Card reader Plate 6"h x 8"w
- Clear Aluminum External Reader Mounting Plate
- Internal Aluminum Reader Mounting Plate w/ Bracket
- Polished Stainless Steel Cr Back Box and Cladding
- 42" Aluminum Post w/Polish Steel Cladding & Floor Bracket

Card Reader:

6"h x 8"w

* Limited Quantities
4-6 Week Lead Time



Part# 101-00002

- Through The Glass Mounting Case for Card Reader, Ademco Keyswitch and Exit Button with 42" Polished Stainless Steel Post - **Card Reader, Exit Button & Key Switch Not Included**

- **Part# 200-10064**

- **Part# 300-30027** Mometary Key Override Switch w/806 Key or
- **Part# 300-30028** Continuous Key Override Switch SPDT Switch w/806 Key
- **Part# 300-30032** Exit Button

Materials:

- Steel
- Clear Aluminum Crks Plate 6"h x 8"w
- Clear Aluminum External Reader Mounting Plate
- Internal Aluminum Reader Mounting Plate w/ Bracket
- Polished Stainless Steel Cr Back Box and Cladding
- 42" Aluminum Post w/Polish Steel Cladding & Floor Bracket

Card Reader:

6"h x 8"w

* Limited Quantities
4-6 Week Lead Time



Part# 101-00003

- Through The Glass Mounting Case for Card Reader, Mortise Keyswitch and Exit Button with 42" Polished Stainless Steel Post - **Card Reader, Exit Button & Key Switch Not Included**

- **Part# 200-10064**

- **Part# 300-30014** Mometary Key Override Switch w/806 Key or
- **Part# 300-30015** Continuous Key Override Switch w/Narrow DPDT Switch w/806 Key
- **Part# 300-30032** Exit Button

Materials:

- Steel
- Clear Aluminum Card Reader Plate 6"h x 8"w
- Clear Aluminum External Reader Mounting Plate
- Internal Aluminum Reader Mounting Plate w/ Bracket
- Polished Stainless Steel Cr Back Box and Cladding
- 42" Aluminum Post w/Polish Steel Cladding & Floor Bracket

Card Reader:

6"h x 8"w

* Limited Quantities
4-6 Week Lead Time



Card Reader Boxes, Cases & Post

Part# 101-00005

- Card Reader Box with Post/Brushed Steel
7.25"h x 4.25"w x 4.25"d

Faceplate: 7.1875"h x 4.1875"w

Post Materials:

- Brushed Stainless Steel Post and Box
- Clear Anodized Aluminum Faceplate

Not Included:

- Card Reader
(Part# 200-10064)
- 1 1/4" Mortise Override KeySwitch
(Part# 300-30014 or Part# 300-30016)
- Lock Cylinder
(Part# 300-30019) ,
(Part# 300-30018) ,
(Part# 300-30020)

Overall Dimensions:
40 3/4"h x 3 1/2"w x 3 1/2"d

Post Only:
40 1/2"h x 3 1/2"w x 3 1/2"d



Part# 101-00006

- Exterior Flush Card Reader Box with Post
12"h x 4.5"w x 4.25"d

Faceplate: 12"H X 4.5"W

Floor Mounted Card Reader/
Override KeySwitch

Post Materials:

- Brushed Stainless Steel Post
- Clear Anodized Aluminum Faceplate

Not Included:

- Card Reader
(Part# 200-10064)
- 1 1/4" Mortise Override KeySwitch
(Part# 300-30014 or Part# 300-30016)
- Lock Cylinder
(Part# 300-30019) ,
(Part# 300-30018) ,
(Part# 300-30020)

Overall Dimensions:
48"h x 4 5/8"w x 4 1/4"d

*Available with handicap button
Part# 101-00020



Part# 101-00004

- ACS Card Reader Case For
Override KeySwitch
7.25"h x 4.25"w x 4.25"d

Faceplate: 7.1875"h x 4.1875"w

- Through The Glass or
Post Mounting Case

Case Materials:

- Brushed Stainless Steel Case
- Clear Anodized Aluminum Faceplate

Not Included:

- Card Reader
(Part# 200-10064)
- 1 1/4" Mortise Override KeySwitch
(Part# 300-30014 or Part# 300-30016)
- Lock Cylinder
(Part# 300-30019) ,
(Part# 300-30018) ,
(Part# 300-30020)



Card Reader Cases

Part# 101-00023

- ACS In-Wall *SkimGard™* Card Reader Case with Faceplate
5"h x 7"w



*Does not include *SkimGard™* Reader

Part# 101-00024

- ACS In-Wall *SkimGard™* Card Reader & Medeco Override Keyswitch Case with Faceplate
5"h x 7"w



*Does not include *SkimGard™* Reader or Override Keyswitch

Part# 101-00025

- ACS In-Wall *SkimGard™* Card Reader & Mortise Override Keyswitch Case with Faceplate
5"h x 7" w



*Does not include *SkimGard™* Reader or Override Keyswitch

Part# 101-00017

- ACS Wall Mount *SkimGard™* Faceplate w/Tamper Switch
- Supports Ademco Keyswitch

Faceplate: 5.4375"h x 7.375"w

Material:
- Galvanized Steel Back Box
- Clear Anodized Aluminum Faceplate



*Does not include *SkimGard™* Reader or Ademco Keyswitch

Part# 101-00018

- ACS Wall Mount *SkimGard™* Faceplate w/Tamper Switch

Faceplate: 5.4375"h x 7.375"w

*Includes Generic Graphic

Material:
- Galvanized Steel Back Box
- Clear Anodized Aluminum Faceplate



*Does not include *SkimGard™* Reader

Part# 100-00029

- Wall Mount Assembly
Optional Back Box
Faceplate 5"h x 7"w

Material:
- Galvanized Steel



Part# 101-00007

- ACS In-Wall Card Reader Case with Faceplate 5"h x 7"w

Faceplate: 5.4375"h x 7.375"w

*Includes Generic Graphic

Material:
- Galvanized Steel Back Box
- Clear Anodized Aluminum Faceplate

* Does not include card reader
Part# 200-10064



Part# 101-00008

- ACS In-Wall Card Reader & Medeco Override Keyswitch Case with Faceplate 5"h x 7"w

Faceplate: 5.4375"h x 7.375"w

*Includes Generic Graphic

Material:
- Galvanized Steel Back Box
- Clear Anodized Aluminum Faceplate

* Does not include card reader case or Mortise Keyswitch
(Part# 200-10064)
(Part# 300-30027) or
(Part# 300-30028)



Part# 101-00009

- ACS In-Wall Card Reader & Mortise Override Keyswitch Case with Faceplate 5"h x 7"w

Faceplate: 5.4375"h x 7.375"w

*Includes Generic Graphic

Material:
- Galvanized Steel Back Box
- Clear Anodized Aluminum Faceplate

* Does not include card reader case or Mortise Keyswitch
(Part# 200-10064) or
(Part# 300-30019)



Power Supplies

Part# 200-10139

- ACS-1E Power Supply



Part# 200-10136

- ACS-1 Power Supply



Part# 200-10133

- ACS-2 Power Supply



Part# 200-10029

- 16.5 VAC 40 VA Transformer
*Used with 12V 3 AMP Power Supply



Part# 200-10030

- 7AH Battery



Part# 200-10026

- 12VDC 5 Amp Power Supply
12"h x 12"w x 4.125"d
- Includes Backup Battery



Options:

Part# 200-10175

- Power Supply - ACS-1Ev1 9VDC Battery
(2 - 4.5AH) Backed Power Supply for
Hardwired Installations
(Option: 10ft. Soft Cord
Part # 500-10014)



Part# 200-10174

- Power Supply - ACS-1Ev1 9VDC & 12VDC
Battery (3 - 5AH)
Backed Power Supply
- for Hard Wired Installations
(Option: 10ft. Soft Cord
Part # 500-10014)



Part# 500-10014

- Power Supply - Optional 10' Soft Cord
w/ Clamp for Power Supply Box



Part# 200-10027

- 12VDC 3 Amp Power Supply
12"h x 12"w x 4.125"d
* Includes 16.5 VAC 40 VA Transformer
- Available with Backup Battery



Part# 200-10031

-8 Outlet
-15 Amp w/resettable circuit breaker
-Audible Failure Alarm
-Protection Indicator Light
-2160 Joules
-Telephone Line Protection



Part# 200-20018

- 2.5 Amp 24 VDC
Power Supply



Part# 200-10091

- ACS Controller UPS
(Uninterruptable Power Supply)
- 350VA/210 Watt Capacity
- Fault Indicator Light
- Powerless Audible Alarm
- 3 Surge Protected Outlets
- 3 Battery Backup and Surge
Protected Outlets
- Resettable Circuit Breaker



Cellular Gateway Routers

Cellular Gateway Kit

Part# 200-20033
-Ethernet to Cellular Modem



Part# 200-10066
GT Gateway



Part# 200-10115
Cellular Antenna



Part# 200-10113
US Power Adapter




Cables & Conduits

Part# 600-10001

- Door Hardware 22/4 Plenum (per ft)


Part# 600-10000

- Door Strike 18/2 Plenum (per ft)


Part# 600-10003


- Data Cable CAT5E (per ft)


Part# 200-10039

- Chrome Plated Conduit 6 ft x 3/4"
w/ Mount Flanges


Part# 200-10122


- 22AWG-12-Conductor Stranded Wire
with Shield and Premium Jacket
Length: 50 ft


Part #101-00014

- Aluminum Cable Raceway
- 2" x 6"
- 3' increments


Part# 200-10036

- 22AWG-12-CCConductor Stranded Wire
with Shield and Premium Jacket
Length: 100 ft


Part# 200-10037

- Chrome Plated Conduit 6 ft x 3/4"

Part# 200-10039


- Chrome Plated Brass Conduit 72" (6ft)
with 2 Mounting Flanges

Part# 200-10040

- Pair of Mounting Flanges for
Chrome Plated Conduit

Part# 600-10002

- Sensor Hardware 22/12 Plenum (per ft)



Instructional Decals Sets

PARABIT

Swipe Card,
When Light Turns Green,
Open The Door.

parabit.com

Swipe Reader
Part# 200-10068
 Standard Swipe Reader
 Instructional Decal Set 2 Vertical Decals
 (Amber LED)

PARABIT

Swipe Card,
When Light Turns Green,
Open The Door.

parabit.com

READER LED INDICATORS:

- AMBER LIGHT · Swipe Card
- GREEN LIGHT · Door Unlocked/Enter
- RED LIGHT · Door Locked/ATM Closed
- Invalid Card Read

- 1 Swipe Card Reader Decal 3.25" x 3.25"
- 1 Swipe Card Reader Decal 1.75" x 4.75"

PARABIT

Insert Card,
When Light Turns Green,
Open The Door.

parabit.com

Insert Reader
Part# 200-10069
 Standard Insert Reader
 Instructional Decal Set 2 Vertical Decals
 (Amber LED)

PARABIT
parabit.com

Insert Card,
When Light Turns Green,
Open The Door.

parabit.com

READER LED INDICATORS:

- AMBER LIGHT · Insert Card
- GREEN LIGHT · Door Unlocked/Enter
- RED LIGHT · Door Locked/ATM Closed
- Invalid Card Read

- 1 Insert Card Reader Decal 3.25" x 3.25"
- 1 Insert Card Reader Decal 1.75" x 4.75"

Part# 200-10070
 Standard Insert Reader Instructional Decal Set
 - 1 Insert Card Reader Horizontal (Amber LED)

PARABIT
parabit.com

parabit.com

Insert Card, When Light Turns Green,
Open The Door.

READER LED INDICATORS:

- AMBER LIGHT · Insert Card
- GREEN LIGHT · Door Unlocked/Enter
- RED LIGHT · Door Locked/ATM Closed
- Invalid Card Read

PARABIT

Insert Card
In Slot As Shown

parabit.com

SkimGard™ Reader
Part# 200-10101
 Standard **SkimGard™** Insert Reader
 Instructional Decal Set - 2 Vertical Decals
 (Amber LED)

PARABIT
parabit.com

Insert Card,
When Light Turns Green,
Open The Door.

parabit.com

READER LED INDICATORS:

- AMBER LIGHT · Insert Card
- GREEN LIGHT · Door Unlocked/Enter
- RED LIGHT · Door Locked/ATM Closed
- Invalid Card Read

- 1 Insert Card Reader Decal 3.25" x 3.25"
- 1 Insert Card Reader Decal 1.75" x 4.75"

Part# 200-10098
 Standard **SkimGard™** Insert Card Reader
 Instructional Decal Set - 1 Horizontal (Amber LED)

PARABIT
parabit.com

parabit.com

Insert Card, When Light Turns Green,
Open The Door.

READER LED INDICATORS:

- AMBER LIGHT · Insert Card
- GREEN LIGHT · Door Unlocked/Enter
- RED LIGHT · Door Locked/ATM Closed
- Invalid Card Read

Reseller Demo Kits

SkimGard™

Focusing on the growing problems of Skimming, Parabit has developed an option that is compatible with all of our ATM Access Control solutions (ACS-1 and ACS-2 systems)

Our **SkimGard™** system detects; the tampering, cable cut and installation of a skimming device over our **SkimGard™** ATM Access Control Card Reader. **SkimGard™** integrates with any alarm panel, video recorder or ATM out-of-service input.

Part# 200-20103 ACS-1 with **SkimGard™** DEMO

Demo Includes:


- ACS-1 Controller
- Cable Cut Sensor Board
- **SkimGard™** Logic Board
- **SkimGard™** Insert Reader
- Exit Button with Narrow Plate
- .25" Spacer Plate with Tamper
- Door w/mini maglock & door contact
- Skimming Test Plate
- ACS-1 Demo Software
- Traveling / Shipping Case



Part# 200-20104 ACS-2 with **SkimGard™** DEMO

Demo Includes:

- ACS-2-M Controller (Modem)
- ACS-2-IP Adapter
- Cable Cut Sensor Board
- Legacy Insert Reader
- **SkimGard™** Insert Reader
- Exit Button with Narrow Plate
- .25" Spacer Plate with Tamper
- Door w/mini maglock & door contact
- Light Monitor
- Skimming Test Plate
- ACS- Enterprise Demo Software
- Traveling / Shipping Case



Part# 200-20105 ACS-1E with **SkimGard™** DEMO

Demo Includes:

- ACS-1E Controller and Standard Case
- ACS-1E Modem Board
- ACS-1E 2nd Card Reader PCB
- ACS-1E Auxiliary Input/Output PCB
- **SkimGard™** Insert Reader (2)
- Exit Button with Narrow Plate (2)
- .25" Spacer Plate with Tamper (2)
- Door w/mini maglock & door contact
- Skimming Test Plate
- ACS Enterprise Demo Software
- Traveling / Shipping Case

