# SONY

# YT-ICB140

In-ceiling bracket designed for use with Sony minidome video surveillance cameras



#### Overview

The Sony YT-ICB140 is an in-ceiling mount kit for the SNC-DF50P, SNC-DS10, SNC-DM110, SNC-DH120T, SNC-DH140T, SNC-DH140T, SNC-DH220T, SNC-DH240T and SNC-DH240T network minidome cameras, and for the SSC-N20, SSC-N21, SSC-N22 and SSC-N24 analogue minidome cameras.

YT-ICB140

#### **Compatible Products**

### **Minidomes**



SNC-DH120

Minidome 720p/30 fps Camera - E Series



SNC-DH120T

Vandal-resistant Minidome 720p/30 fps Camera - E Series



SNC-DH140

Minidome 720p/30 fps Camera - V Series



SNC-DH140T

Vandal-resistant Minidome 720p/30 fps Camera - V Series



SNC-DH220

Minidome 1080p/30 fps Camera - E Series



SNC-DH220T

Vandal-resistant Minidome 1080p/30 fps Camera - E Series



SSC-FM561

700 TV Lines Analogue Minidome Camera with Wide Dynamic Range



SSC-N20

Indoor minidome analogue camera with high resolution (540 horizontal TV lines) and a wide area of scan



SSC-N21

Compact indoor varifocal lens minidome 650 TVL analogue camera, Super HAD CCD II sensor, iBLC, eDay/Night technologies



SSC-N22

Indoor minidome analogue camera with high resolution (540 horizontal TV lines) and a very wide area of scan



SSC-N24

Indoor minidome analogue camera with very high resolution (650 horizontal TV lines) and a very wide area of scan





UNI-LD280

Replacement lens capsule

**Power Supplies** 

YT-ICB140 2

## SONY



SNC-DH240

Minidome 1080p/30 fps Camera - V Series



SNC-DH240T

Vandal-resistant Minidome 1080p/30 fps Camera - V Series



SNC-EM520

Minidome SD (SVCA) Camera - E Series



SNC-EM521

Vandal-resistant Minidome SD (SVCA) Camera - E Series



SNC-VM630

Minidome 1080p/60 fps Camera Powered by IPELA ENGINE EX<sup>TM</sup> - V Series



SSC-FM531

700 TV Lines Analogue Colour Minidome Camera with Wide Dynamic Range



### SNCA-POE1

Compact Power over Ethernet power supply for fixed and minidome cameras



**SNCA-POE12** 

Compact 12-port Power over Ethernet (PoE) midspanpower supply for fixed and minidome cameras



SNCA-POWERBOX

Combined power supply and fixing bracket



SNCA-PS12-1

An indoor, in line power supply with one output rated at 1 Amp, 12V DC



SNCA-PS24-1

An indoor, in line power supply with one output rated at 1 Amp, 24V AC



SNCA-PS24-4E

An external power supply with one 4 Amp 24V AC fused output. Polycarbonate IP66 rated enclosure suitable for outdoor use.