
Remote User management software





IP Based Alarm receiver

Vanderbilt's SPCS610 allows for the remote configuration of users, calendars, doors and profiles on SPC Panels.

Key Features include:

- SPC Communications
- Users be added to multiple panels
- Communication link monitoring
- SPC Panel control
- SPC Panel status information
- Operators
- Reporting on SPC panels and operators

Functions

- Multi-panel remote operation
- Remote user management
- Remote data access management

Applications:

- Secure user management
- Building managers
- Distributed systems

Languages:

- English
- German
- French

Remote User management software





Features & Benefits

Multi-panel remote operation

SPC Manager is a software-based user management tool, which allows you to manage, monitor and control system resources (for example, doors, areas and outputs) across multiple SPC systems in a quick and efficient way.

Remote user management

SPC Manager supports the concept of global user data across a complete install base of SPC systems, which allows central management of user information for a group of SPC systems in an efficient way

Multi-panel remote access data management

SPC Manager allows you to remotely manage access data such as cards, calendars and access rights across multiple systems. Its powerful SPC system user profiles provide an easy and quick way to create new users in a daily working environment.

_



Remote User management software



Technical Data

System Architecture	
SPC manager server and client	Windows client/server application
SPC manager Database	Microsoft SQL Server 2005 or 2008

System Specification		
Max. No. Connections	5 Basic License* 100 Standard License 1000 Advanced License	
Max. No. SPC Manager clients:	1 Basic License* 10 Standard License 50 Advanced License	
Max. No. of users in SPC Manager DB: Max. No. of users in panel:	10,000 Up to 2500 (depending on panel type)	
Server		
Operating System	Microsoft Windows Server 2008 R2 Microsoft .NET Framework 4.0 Microsoft SQL Server 2005 or 2008	
Hardware	Intel Core i5-2400 CPU @ 3.1GHz 500GB HD available hard disk space 1024 x 768 or higher resolution display	
Client		
Operating System	Windows XP 32bit Windows 7 (32bit and 64bit) Microsoft .NET Framework 4.0	
Hardware	Pentium Dual-Core (E2160) 1MB Cache, 1.80 GHz 500GB HD available hard disk space 1024 x 768 or higher resolution display	



Remote User management software



Ordering Data

Туре	Art. No.	Description	Weight*
SPC	S54549-F103-A100	SPCS610.000	NA
SPC	S54549-F106-A100	SPCS610.100 Basic License SPC Manager	NA
SPC	S54549-F107-A100	SPCS610.200 Standard License for SPC Manager	NA
SPC	S54549-F105-A100	SPCS610.300 Advanced License for SPC Manager	NA

^{*} Total weight of the product inclusive of the weight of its accessories and packaging.

Additional Ordering Data

n		
---	--	--

SPC Panels		
SPC6350.320-L1	V54541-C118-A100	SPC control panel, 16-512 zones, Ethernet, G5 metal housing
SPC6330.320-L1	V54541-C105-C100	SPC control panel, 8-512 zones, Ethernet, G3 metal housing
SPC5350.320-L1	V54541-C117-A100	SPC control panel, 16-128 zones, Ethernet, G5 metal housing
SPC5330.320-L1	V54541-C107-B100	SPC control panel, 8-128 zones, Ethernet, G3 metal housing
SPC5320.320-L1	V54541-C106-B100	SPC control panel, 8-128 zones, Ethernet, G2 metal housing
SPC4320.320-L1	V54541-C109-B100	SPC control panel, 8-32 zones, Ethernet, G2 metal housing
SPC4320.220-L1	V54541-C114-A100	SPC control panel, 8-32 zones, Ethernet, G2 housing with metal base and plastic cover



Learn more at www.vanderbiltindustries.com

